


FLOATPLANE HANDBOOK



CONTENTS

Introduction	3
The Anatomy of a Floatplane	5
Determining the Wind Direction.....	6
Moving on Water	7
Taking Off	12
Flying	15
Landing	15
Flying an Amphibian	20
Emergencies	21
The Seaplane Rating	22
Suggested Reading	22
Index	23

INTRODUCTION

If you're looking for a new flying challenge, you'll find it behind the controls of a floatplane. Because floatplane pilots typically operate beyond the runways, control towers, and navigation aids of airports, they are, by necessity, more self-sufficient than their land-based counterparts.

Approaching a high mountain lake in the middle of the wilderness in a floatplane, it's up to you to determine where the wind is coming from, where to land, and what to do if something goes wrong.



Real-world Cessna Caravan Amphibian

A floatplane is a type of seaplane—an airplane that can land on and take off from water—and is supported on the water by pontoons, called “floats” (another type of seaplane, a flying boat, has a fuselage with a boat-shaped bottom that sits in the water). Seaplanes that have retractable wheels are known as amphibians, and can land on and take off from both water and runways.



The Cessna Caravan Amphibian in Flight Simulator 2002.

INTRODUCTION

The floatplane in Flight Simulator 2002 is a Cessna Caravan Amphibian: the largest single-engine floatplane currently manufactured, and a versatile aircraft for both passenger and cargo operations.

This Handbook is an introduction to floatplane flying in general. For specific information about the Cessna Caravan Amphibian in Flight Simulator 2002, see the **Aircraft Handbook** in the Flight Simulator 2002 **Library & Help** section. To learn more about other kinds of seaplanes, see the “Suggested Reading” section at the end of this document.

For a list of seaplane bases and airports with water runways in Flight Simulator 2002, type “water runways” in the Help index.

THE ANATOMY OF A FLOATPLANE

Floatplanes look like landplanes, except that instead of wheels, they have floats (or floats and wheels, in the case of an amphibian like the Cessna Caravan). The floats support the airplane by displacing water, just as a boat does. The floats are made of either aluminum or fiberglass, and each has at least four watertight compartments. Even so, most floats leak a bit, and before each flight, a real-world floatplane pilot needs to inspect and pump any water out of the floats. Most floats have a V-shaped bottom to cushion landings and cut through waves, as well as “spray rails” on the inboard sides of the floats to deflect water spray away from the propeller (thus improving the pilot’s vision and protecting the prop from pitting and corrosion). The floats are attached to the aircraft by streamlined struts and held apart from each other by spreader bars.

Each float has a water rudder hanging off its aft (rear) end. The water rudders are attached to cables that go to the rudder pedals in the cockpit. Another set of cables runs from the water rudders to a

handle in the cockpit that retracts and extends the water rudders (they should always be “up” for takeoff and landing). Using the water rudders, you can steer the floatplane on the water quite effectively.

Amphibians such as the Cessna Caravan also have retractable wheels — two on each float. The bow wheels fold up, and the wheels just behind the step recess into the floats. Amphibious floats are much heavier than “straight” floats, which don’t have wheels.



The Cessna Caravan Amphibian on approach to a runway.

DETERMINING THE WIND DIRECTION

An important part of floatplane operations (especially on the water) is knowing what direction the wind is blowing from. In the real world, there are many ways to determine wind direction: you can look at the surface of the water, at trees along the shoreline, at smoke from nearby buildings or fires, or at sailboats. In Flight Simulator 2002, you don't have as many options:

- If you're at a seaplane base, there may be a windsock.
- Listen to a nearby airport's ATIS, AWOS, or ASOS broadcast.
- If you're on the water, let the floatplane weathercock into the wind (see the "Moving on the water" section).
- Press **SHIFT+Z** once to display the aircraft position, altitude, wind direction and speed (for example, "130/15" means the wind is coming from 130 degrees at 15 knots) at the aircraft's current position.

MOVING ON WATER

There are four ways to move a floatplane on water:

- Displacement taxi
- Plowing taxi
- Step taxi
- Sailing

The displacement taxi

The displacement taxi is the slowest method of taxiing, and is so-named because the floats displace additional water when they move. The displacement taxi should be used when approaching or leaving a dock or ramp area or when maneuvering in a crowded harbor. Bring the throttle back to idle, and taxi at the slowest speed possible, using the water rudders to turn (press **SHIFT+W** to raise/lower). Keep in mind that you need to be moving for the rudders to be effective. You'll probably notice that the aircraft turns faster to the left than to the right. This is due to the left-turning tendencies of the aircraft—something that also affects it in flight, especially at higher power settings.

As you taxi, keep the yoke all the way back (toward you). This technique keeps the propeller out of the spray, the water rudders in the water, and prevents the bows of the floats from diving into the water. The only exception to this procedure is if you're taxiing with a strong wind behind you. In that case, keep the yoke all the way forward (away from you) so that the wind striking the elevator pushes the tail of the plane down, thereby raising the nose.



The displacement taxi.

MOVING ON WATER

Since a floatplane is less stable on the water than a landplane is on land, it's important that you keep the ailerons in the proper positions as you taxi, especially if it's windy. If you're taxiing into the wind, turn the yoke into the wind. If you're taxiing away from the wind, turn the yoke away from the wind. Following these simple rules prevents the wind from getting under the upwind wing and lifting it, which could capsize the floatplane.

A floatplane has more vertical surface behind its yaw axis than in front of it and, therefore, has a tendency to weathercock (change direction into the wind), especially when the water rudders are up. This is an easy way to tell which way the wind is blowing. Once you're clear of obstructions, lift the water rudders, and you'll weathercock into the wind. You can usually turn out of the wind in no- or low-wind conditions by putting the water rudders down and using some power. If there's a strong wind, however, you'll have to use a plowing taxi.

The plowing taxi

The plowing taxi is faster than the displacement taxi, and is used to turn the plane from upwind to downwind in windy conditions. Add power, and hold the yoke all the way back—the bows of the floats lift out of the water, and the floats “plow” through the water much like a snowplow through snow. The aircraft's pivot point moves farther back, making it easier to turn. Use both the air and water rudders to turn. One way to make the turn even easier is first to initiate a slight turn in the opposite direction—the weathercocking tendency helps kick the aircraft around in the direction you want to go. Once the turn to downwind is complete, reduce the power to idle, and be careful not to let the wind catch one side more than the other, or you'll weathercock back into the wind.

MOVING ON WATER



The plowing taxi.

The step taxi

The step taxi is used to taxi at even greater speeds than the displacement taxi or plowing taxi allow. As the floats move through the water in a displacement or plowing taxi, hydrodynamic (relating to the mechanical properties of liquids) drag is created from the friction between the floats and the water. The faster you taxi, the more drag there is, and if a fast displacement or plowing taxi is maintained for a long time, the engine may overheat. The solution to taxiing

quickly is to get more of the floats out of the water. The technique used to accomplish this is called the “step taxi”:

1. Retract the water rudders (press **SHIFT+W** to toggle).
2. Hold the yoke all the way back.
3. Add power until the floats begin to come out of the water. This is called the “hump” stage.
4. Slowly release the back pressure so that the yoke is in a neutral position. The floats will settle down on top of the water and “plane” on the back part of the floats, called the “step.”

During step taxiing, the air rudder can be used to make a “step turn.” Be careful when making step turns, however—centrifugal force acts towards the outside of the turn and increases with speed. If you turn too quickly, the floatplane will tip over. During a turn from upwind (into the wind) to downwind (away from the wind), the force of the wind mostly cancels out the centrifugal force. During a turn from downwind to upwind, both the wind and centrifugal force act in the same direction, making the aircraft unstable. The

MOVING ON WATER

downwind float could get buried underwater, and the aircraft could “trip” over itself and capsize. Therefore, in windy conditions, never make a step turn from downwind to upwind. Use a slow displacement taxi instead.



The step taxi.

Sailing

In strong wind conditions, if you need to move in any direction other than into the wind, you can “sail.” Let the floatplane weathercock into the wind, then—with the engine at idle—let the wind blow you backwards. If you want to sail faster, lower the flaps to make a bigger “sail” area.

To sail backwards to the left: Retract the water rudders, press the right rudder pedal, and move the yoke all the way to the left.

To sail backwards to the right: Retract the water rudders, press the left rudder pedal, and move the yoke all the way to the right.

To sail sideways across the wind: Use slight engine power to prevent the floatplane from drifting backward, and then point the nose a few degrees in the direction you want to go. The wind strikes only one side of the fuselage and pushes the plane sideways.

The secret to sailing a floatplane is a simple one: Practice!

MOVING ON WATER



Sailing.

To learn more about moving on the water, such as how to start out from a dock or ramp, see the books in the “Suggested Reading” section at the end of this Handbook.

Want to stop or move backwards? The Cessna Caravan Amphibian in Flight Simulator 2002 has a Beta (reversing) propeller, and you can take advantage of this feature when taxiing on the water. Press the **F2** key repeatedly to move the power lever past Idle into the Beta range—the angle of the propeller blades reverses and pushes the aircraft backwards. Use the rudder pedals to point the tail of the aircraft in the direction you want to go. The water rudders are designed to be most effective when the floats are moving forward, so when in Beta, move slowly.

TAKING OFF

On land, pilots try to take off on the runway that is most closely aligned into the wind. In a floatplane, because there are no marked runways, it's up to you to determine where your takeoff lane is. Here's how to get airborne.

Verify the wind direction

See the "Determining the wind direction" section.

Choose a takeoff lane

Whenever possible, take off directly into the wind. Sometimes, you'll have no choice and will have to take off with a crosswind—just don't let the wind lift the upwind wing, since the downwind float will get buried in the water and you could capsize. In a light wind, you can make a downwind takeoff if it's more convenient. In a strong wind, however, a downwind takeoff is not recommended, since you'll have to go faster to get to rotation speed and subject the floats to more pounding along the way. Also, make sure there are no obstructions in the way and that you have enough room, both on the water and to clear obstacles in your flight path.

Perform the items on the pre-takeoff checklist

Each aircraft has its own checklists that can be found on the Flight Simulator 2002 Kneeboard. To display the Kneeboard, press **F10**.

Scan the area for traffic

If wind conditions permit, make a 360-degree turn to scan the area for traffic, both on the water and in the sky.

Lower the flaps

Some aircraft have a suggested flap setting for takeoff (20 degrees for the Caravan Amphibian). Consult the Checklist tab of the Kneeboard for the aircraft you're flying.

Request takeoff clearance/ announce your intentions

If you're at an official seaplane base or near an airport, request takeoff clearance or announce your takeoff intentions on the radio. To learn more, see the **Air Traffic Control Handbook**.

TAKING OFF

Raise the water rudders

Be sure to retract the water rudders (press **SHIFT+W** to toggle) before you start the takeoff run. If you leave the water rudders down, they can get damaged or damage the floats.

Hold the yoke all the way back

Just as when taxiing, hold the yoke all the way back to keep the propeller clear of spray and the float tips out of the water as you accelerate.

Apply takeoff power

Apply takeoff power (1900 RPM for the Caravan Amphibian). The floats start pushing through the water, and as the hydrodynamic pressure increases, the bows lift out of the water, moving the propeller out of the spray. This nose-up part of the takeoff roll is called the “hump phase” because the floatplane looks like it’s climbing over a hump. As the floatplane speeds up, the hydrodynamic pressure on the floats builds, more of the floats lift out of the water, and the center of hydrodynamic support moves farther aft toward the step. The left-turning tendency is greatest during this hump

phase, so be ready to counter it with lots of right rudder. As the nose rises, you won’t be able to see much ahead—a good reason to take a careful look before taking off.



The hump phase.

Release the back pressure

As the floatplane reaches its maximum nose-high attitude and more of its weight is supported by the hydrodynamic pressure on the floats, relax the back pressure on the yoke to return it to a neutral position. The floatplane pitches forward and begins to plane across the surface of

TAKING OFF

the water on the step. With only part of the floats now touching the water, there is considerably less drag, and the floatplane can accelerate to rotation speed (V_r —see the Reference tab of the Kneeboard for the aircraft you're flying). Once the floatplane is on the step, you can easily use the air rudder to change direction. See the cautions noted in the previous section on step taxiing.



On the step.

At V_r , pull back slightly on the yoke. When you reach rotation speed (50-60 knots for the Caravan Amphibian), you'll sense a slight acceleration as the hydrodynamic drag disappears. Pull back gently on the

yoke, and the aircraft will fly off the water. Don't rotate too much, or you'll drag the tails of the floats in the water!

Lower the nose slightly

After takeoff, lower the nose some (not too much, or you'll put the tips of the floats into the water) to build speed.

Raise the flaps

Once you've established a positive rate of climb (and 90 KIAS for the Caravan Amphibian), raise the flaps if you've extended them.



Airborne!

FLYING

In general, once a floatplane is in the air, it flies much like a landplane. There are, however, two things to consider.

Don't expect to get anywhere as quickly as in a landplane

Because of the drag created by the floats, their struts, and the associated hardware, floatplanes climb and cruise slower than their land-based counterparts.

Make coordinated turns

Because the floats add vertical surfaces to the front of the floatplane (forward of the aircraft's yaw axis), a floatplane has less "directional stability" than a landplane and is slower to recover from a skid. Most manufacturers add extra vertical surfaces to the tails of floatplanes to counteract this tendency, but it's still a good idea to keep bank angles shallow and to make coordinated turns with the ball in the center of the turn-and-bank indicator.

LANDING

Landing a floatplane is a lot like landing a nose-wheel landplane. Here's how to do it.

Request landing clearance/ announce your intentions

If you're landing at an official seaplane base or near an airport, request landing clearance or announce your landing intentions on the radio. To learn more, see the **Air Traffic Control Handbook**.

Determine the wind direction

See the "Determining the wind direction" section.

Inspect the destination

Before you land, fly over your destination to create a mental map of where things are—it's much harder to see things once you're on the water. Remember: A floatplane has no brakes (although the Caravan Amphibian has a reversible propeller), so take as much time as you need to plan your approach and taxi from

LANDING

the air. Make sure the body of water is big enough for both landings and takeoffs (for the Caravan Amphibian, you'll need at least 1,045 feet for landing and 1,920 feet for taking off). There's nothing worse than having your brand-new floatplane trapped on a majestic mountain lake forever. Also, be sure to check the water conditions and look for boats, buoys, trees, power lines, and other potential obstacles.

Choose a landing lane

At some seaplane bases, there are designated landing lanes, but in general, you choose your own. As when taking off, it's best to land into the wind if possible. Touch down so that you'll come to a stop close to your destination. With practice, you'll learn how much distance your floatplane needs to stop and how to judge that distance from the air.



Choose a landing lane.

In Flight Simulator 2002, landing a floatplane is easier in Virtual Cockpit view (because you can see the water to the left of the instrument panel). Press **S** to cycle views.

Fly a standard traffic pattern

Unless the surrounding terrain prohibits it, fly a standard traffic pattern, just as in a landplane.

LANDING

Verify that the water rudders are up

As you complete the pre-landing checklist, make sure the water rudders are retracted (press **SHIFT+W** to toggle) so they don't get damaged when they contact the water.

Verify that the landing gear is up (on amphibians)

If you're flying the Cessna Caravan or another amphibian, make sure the landing gear is retracted (press **G** to toggle). This bears repeating: When landing on water, make sure the landing gear is up! If you land on the water with the wheels down, the aircraft will capsize.

Set the flaps

Just as when landing a landplane, you want to touch down at the slowest possible speed, so use the maximum flap setting allowed for your aircraft (30 degrees for the Caravan Amphibian).

In the Caravan Amphibian, when the flaps are set to 20 degrees, a voice will remind you of the landing gear's current position.

Trim

Once you're stabilized on final approach, trim to maintain the published final approach speed (75-85 KIAS with 30 degrees of flaps for the Caravan Amphibian).

Look around

On final approach, don't fixate on the water directly in front of you. Look at the shoreline in front or to either side so you can accurately judge your height above the surface. You can land with the power on or at idle. Because it's often difficult to judge your height above the water, a power-on landing is the easier method, since you have better control over the descent rate.

Flare

At 10-15 feet above the water, flare and add a little power to maintain the landing attitude. Hold the floats just above the water. The correct landing attitude in a floatplane is similar to that in a nose-

LANDING

wheel landplane. You can fly along like this, a few feet or inches above the water, for as long as you want to in order to avoid boat wakes or get closer to your destination.



The flare.

Touchdown

When you're ready to touch down, simply reduce power. As soon as the floats contact the water (hopefully right on the step), reduce the power to idle, unless you plan to step taxi. Remember, a floatplane has no brakes!

When touching down in a turboprop floatplane like the Caravan Amphibian, you can move the throttle into the Beta range (press and hold the **F2** key) to slow down more quickly.

LANDING

Gently pull back on the yoke

As soon as the floats contact the water, they create drag, and the floatplane pitches forward. The faster your touchdown speed, the greater the drag and the greater the tendency to pitch forward, so touch down as slowly as possible. Gently pull back on the yoke a bit to counteract the forward-pitching tendency. When the floatplane drops off the step and slows to taxiing speed, you can pull the yoke fully back and taxi, as described in the section on taxiing. If you're flying a turboprop like the Caravan Amphibian, you can put the prop into Beta to slow down more quickly (from Idle, press the F2 key).



Touchdown!

FLYING AN AMPHIBIAN

Amphibians like the Cessna Caravan in Flight Simulator 2002 let you experience the best of both worlds. You can enjoy all the thrills of a floatplane but also land on runways! In the air and on the water, there's not much difference between an amphibian and a regular floatplane. There are, however, a few things to keep in mind.

Landing on water

As mentioned previously, when landing on water, make sure the landing gear is up. Making a water landing with the gear down will result in the plane capsizing.

Landing on land

Although it's possible to land a floatplane on grass, snow, or even concrete (those floats are tough), if you're flying an amphibian, you might as well use the wheels. Especially if you plan on taxiing anywhere after you land! Wheel landings should be made as power-on landings. Don't flare too much, or you'll bang the

tails of the floats on the runway. Just make a gradual descent in the landing attitude. As soon as the main wheels touch down, gently lower the nose. In a crosswind, use the wing-low method, just as with a landplane.

Taxiing in the water

Taxiing an amphibian in the water is no different from taxiing a seaplane with straight floats—but be aware that the landing gear makes the bows of the floats heavier, so it's important to always keep the yoke fully back when taxiing.

Taxiing on land

The main thing to know about taxiing an amphibian on land is that in a strong wind, there may be a tendency to weathervane away from the wind. The vertical surfaces in front of the amphibian's yaw axis (the floats) catch more wind than the vertical surfaces behind the aircraft's yaw axis (the tail), and thus the aircraft tends to yaw away from the wind.

EMERGENCIES

Emergency landings in a floatplane are no different from emergency landings in a landplane—but your chances of walking away scratch-free are better.

Landing on the water

Landing on the water without engine power isn't too hard, especially if the landing lane is long. Just trim the floatplane for a maximum glide (depends on aircraft weight—see the Reference tab of the Kneeboard), and make a normal power-off landing, preferably into the wind.

Landing on land

In an amphibian, if you're sure you can reach a runway, then by all means use the wheels! If you must make an emergency landing in a floatplane or in an amphibian away from an airport, however, you can land on the floats.

Whereas wheels tend to easily get caught on things, the floats will let you slide across a field, a glacier, even a parking lot or a road. Here's how to do it:

1. Find the flattest, most obstacle-free landing site you can.
2. Make a normal approach (preferably into the wind), and try to land on the step in a fairly flat attitude so that you don't hit the tails of the floats first.
3. Expect the nose to pitch down on impact due to the sudden drag, so pull the yoke all the way back as soon as you touch down.

In the event you can't find a good, flat landing area, make the best approach you can, keep flying the airplane, and try to touch down in a flat attitude—the floats and struts will absorb much of the impact. It won't be pretty, but you'll probably walk away unscathed.

THE SEAPLANE RATING

To get a Seaplane Rating added to their Private Pilot certificate, real-world pilots in the U.S. must complete 10-12 hours of instruction and then pass an FAA checkride. It's also possible for a student pilot to do his or her Private Pilot training in a seaplane.

SUGGESTED READING

To learn more about flying the Cessna Caravan Amphibian, see the **Aircraft Handbook** in the Flight Simulator **Library & Help** section. While you're there, take a look at these articles from the Aircraft Owners and Pilots Association (AOPA):

- Rock Me on the Water
- Postcards: Alaska by Air
- Town and Country Caravan

Also, check out these books:

Frey, J.J. *How to Fly Floats*. College Point, NY: Edo Float Corporation, 1972.

Faure, C. Marin. *Flying a Floatplane*. New York: McGraw-Hill, 1996.

De Remer, Dale and Cesare Baj. *Seaplane Operations*. Como: Edizioni Newpress, 1998.

Many Flight Simulator add-on aircraft are available for download on the Web, often as shareware or freeware. Amateur and professional software developers will undoubtedly create additional seaplanes for use with Flight Simulator 2002. To find them, begin with the Microsoft Flight Simulator 2002 Web site: www.microsoft.com/games/fs2002/sites. Please be advised that seaplanes created for Flight Simulator 2000 and earlier versions will not function properly in Flight Simulator 2002.

INDEX

A

amphibians
 definition 3
 flying 20
amphibious floats 5
ASOS 6
ATIS 6
AWOS 6

B

Beta 19
Beta ranges 18

C

centrifugal force 9
Cessna Caravan Amphibian 4

D

destinations, inspecting 15
wind direction 6
displacement taxi 7
docking 11
dragging 9

E

emergencies 21

F

floats 5
flying 15
flying boat 3

H

hydrodynamic 9

L

landing 15
landing gear 17
landing lane, choosing 16

P

plowing taxi 8
pontoons 3

R

ramps 11
retractable wheels 3
reversing propellers 11

INDEX

S

sailing 10
Seaplane Rating 22
seaplanes 3
spray rails 5
step 9
step taxi 9
step turns 9
straight floats 5
Suggested Reading list 22

T

takeoff lanes, choosing 12
taking off 12

V

Virtual Cockpit
view 16

W

water, moving on 7
water rudders 5, 17
weathercocking, tendency to 8
wind direction, determining 6
winds 6
windy conditions, training in 8